

DRT2033 / DRC2033

COMPACT DIRECT VENT GAS FIREPLACES



COMPACT DIRECT VENT GAS FIREPLACES

DRT2033 / DRC2033



Modest yet refined, our Compact Direct Vent Gas Fireplaces provide undeniable value and quality. A heat circulating blower, remote, and wall controls are available as optional accessories, making the DRT2033 and DRC2033 fireplaces the perfect choice for small spaces.

FEATURES

- Available in a 33" model
- Compact 14" depth is perfect for small spaces
- Dedicated top flue or dedicated rear flue configuration
- Electronic ignition with seamless battery backup provides continued operation in the event of a power outage (IPI/CPI switch standard)
- Outstanding heating efficiency for increased comfort and lower operating costs
- Standard tempered glass and a protective screen*
- Detailed ceramic fiber log set with grate included with DRT2033
- Reflective black crushed glass media included with DRC2033 (optional colors available to customize the look)
- Clean faced heat-circulating design
- Black painted interior
- Optional blower and hand-held remote controls available for all models
- Durable textured powder coat finish
- 20 year limited warranty

*All applicable models comply with ANSI Z21.50/88 barrier requirements.



DRC2033 with reflective black crushed glass



DRT2033 Interior

INTERIOR



Black Painted Interior (Standard)

CONTROL OPTIONS



Thermostatic Remote (Optional)



Hand-Held On/Off Remote (Optional)



DRC2033 Interior

MEDIA OPTIONS (DRC2033 ONLY)



Reflective Black Crushed Glass (Standard)




Platinum Crushed Glass



Reflective Blue Crushed Glass


SPECIFICATIONS

APPLIANCE DIMENSIONS



MODEL	A	B	C	D	E	F	G	H	I	J	K
35" MODELS	30-1/8"	26-1/4"	18-3/8"	30-1/2"	33-5/8"	21-7/8"	11"	31"	5-1/2"	14"	8-1/2"

FRAMING DIMENSIONS



MODEL	A	B	C	D	E
33" MODELS	33-3/4"	34-1/4" *	36-7/8"	14-1/2"	19-5/8"

* Includes 4" for fold-up standoffs

FIREPLACE EFFICIENCIES

MODEL	FUEL	BTU/HR	P4 / ENERGYGUIDE*
DRT2033	NG	12,000	64.8%
DRT2033	LP	10,000	64.8%
DRC2033	NG	12,000	64.8%
DRC2033	LP	10,000	64.8%

*Intermittent ignition systems.

IMPORTANT NOTES:

As with any fireplace, this appliance is extremely hot during operation. Read and understand all operating instructions before using this appliance. For further information, consult your dealer.

Local conditions, such as elevation, wind, vent configuration and choice of fuel will affect overall appearance of the fire and heating performance. Performance can also vary with home design and insulation, climate, condition and type of fuel used, appliance location, burn rate, accessories chosen, chimney installation and how the appliance is operated.

Diagrams, illustrations and photographs are not to scale—consult installation instructions. Product designs, materials, dimensions, specifications, colors and prices are subject to change or discontinuance without notice.

On the cover: DRT2033 shown with detailed ceramic fiber log set



© 2024 Innovative Hearth Products

785901M 06/24

Visit us online
SuperiorFireplaces.us.com

