

## VENTED GAS LOGS



**Superior**  
FIREPLACES®  
*Our name is our promise.*

SUPERIOR VENTED GAS LOGS bring the enjoyment of having a fire without the effort and clean-up associated with natural wood. Gas log sets offer detailed log arrangements that mimic the look and feel of real wood logs paired with dancing yellow flames for the ultimate in realism and ease of use.

## VENTED GAS LOGS: DUAL-BURNER SERIES



FEATURED WRE6000 shown with Ozark Charred Oak Vented Log Set

**THE DUAL-BURNER Series** features a unique dancing yellow flame and glowing ember burner system to achieve the look and feel of a real wood fire. Combined with highly detailed logs that are molded from real timber and hand painted to capture the essence of nature, results in a striking appearance and flame pattern. DUAL-BURNER log sets deliver the charm of a wood burning fire with the convenience of gas.

### STANDARD FEATURES

- 🔥 Available in 24", 30" and 36" sizes
- 🔥 Tall dancing yellow flames and glowing embers create wood fire realism
- 🔥 Artistically crafted ceramic refractory logs capture the wood grain texture and color of natural logs
- 🔥 Indoor Wall Control Electronic Ignition burner system offers hard wired 110v ignition and optional wall switch or remote control for hidden and convenient operation
- 🔥 Indoor Electronic Ignition burner system with battery ignition and hand-held remote control (On-Off, Timer, Digital Display)
- 🔥 Outdoor Match Lit stainless steel burner system for enhanced durability
- 🔥 For use in fully vented, wood burning fireplaces operated with the damper completely open
- 🔥 3-year limited warranty



**OZARK CHARRED OAK**



**ASHTON WHITE BIRCH**



**SMOKY WEATHERED OAK**

## WALL CONTROL ELECTRONIC IGNITION BURNER SYSTEM

Choosing the Wall Box Electronic Ignition control and burner system keeps the gas valve and control modules hidden from view, offering a more natural wood fire aesthetic inside the fireplace.



- Wall box can be located up to 9 feet away from the fireplace
- Gas control valve and electronics are stored outside of the firebox
- Hard wired 110v electronic ignition for reliable performance
- Multiple wall switch and remote-control options are available

## Control



- RC-S-1
- On/Off, Timer Remote

**SPECIFICATIONS**

**Selection Guide**

Use the guide below to select the gas log set size that best fits your fireplace application. The guide lists the largest gas log set size approved for installation in select Superior fireplace models. Refer to the minimum firebox dimensions for all other wood burning fireplace applications.

DUAL-BURNER SERIES	BURNER SPECS			SUPERIOR FIREPLACE MODELS												MINIMUM FIREBOX DIMENSIONS				
	SIZE	FUEL	HIGH BTU	WRT4536	WRT4542	WRT4550	WRT6036	WRT6042	WRT6050	WRT8048	WRE4536	WRE4542	WRE4550	WRE6036	WRE6042	WRE6050	FRONT WIDTH	REAR WIDTH	DEPTH	HEIGHT
LOG STYLES	INDOOR BATTERY ELECTRONIC IGNITION BURNER SYSTEM																			
SMOKY WEATHERED OAK	24"	NG	55,000	●			●										36"	24"	18"	24"
	24"	LP	50,000	●			●										36"	24"	18"	24"
	30"	NG	70,000		●		●										42"	30"	18"	24"
	30"	LP	65,000		●		●										42"	30"	18"	24"
	36"	NG	80,000			●			●	●							48"	36"	18"	24"
	36"	LP	75,000			●			●	●							48"	36"	18"	24"
	INDOOR 110V WALL ELECTRONIC IGNITION & BURNER SYSTEM																			
OZARK CHARRED OAK	24"	NG	55,000	●			●										36"	24"	18"	24"
	30"	NG	70,000		●		●										42"	30"	18"	24"
	36"	NG	80,000			●			●	●							48"	36"	18"	24"
	OUTDOOR MATCH LIT BURNER SYSTEM																			
ASHTON WHITE BIRCH	24"	NG	55,000								●			●			36"	24"	18"	24"
	30"	NG	65,000									●			●		42"	30"	18"	24"
	36"	NG	65,000										●			●	48"	36"	18"	24"

**On the Cover:** *WRT4500* fireplace shown with Ashton White Birch Vented Log Set

**IMPORTANT NOTES:**

As with any fireplace, this appliance is extremely hot during operation. Read and understand all operating instructions before using this appliance. For further information, consult your dealer. Local conditions, such as elevation and choice of fuel will affect overall appearance of the fire and heating performance. Performance can also vary with home design and insulation, ceiling height, accessories chosen and appliance location.

Diagrams, illustrations and photographs are not to scale — consult installation instructions. Product designs, materials, dimensions, specifications, colors and prices are subject to change or discontinuance without notice.

